

# THE FRYING ZONE ACE ALKALINE DEEP FRYER CLEANER

Phone: 1300 555 204 Fax: (03) 9761 6127

Email: sales@acefilters.com.au

One of the most common failures in deep fryers is the condition of the tank itself. Literally every manufacturer of deep fryers requires that the tank be boiled out with a fryer cleaner on a regular basis. Many state weekly as the actual requirement



**BEFORE USING SPECIAL CLEANING POWDER** 



**AFTER USING SPECIAL** CLEANING POWDER

## **DIRECTIONS FOR USE:**

- 1. Drain all oil/shortening from fryer tank
- 2. Fill fryer with water to normal fill level
- 3. Bring water to boil then add one cup 250grm of fryer
- 4. Boil for 30 minutes then turn off fryer and allow to cool A fryer scrubber brush may be required on heavy areas
- 5. Drain Fryer and give final wash to remove debris



## **ACE DEEP FRYER CLEANER**

#### 1. IDENTIFICATION

Product Name: ACE DEEP FRYER CLEANER
Product Use: Alkaline Cleaner for Deep Fryers

Restrictions on Use: Use as directed, avoid contact with skin and eyes

#### 2. HAZARD IDENTIFICATION

HAZARDOUS SUBSTANCE according to criteria of Safe Work Australia

NOT A DANGEROUS GOOD as classified by the criteria of the Australian Dangerous Goods Code

(ADG Code) for transport by road and rail

#### Classification of the substance or mixture:

Corrosive to Metals: Not classified Skin Corrosion: Skin Irritant 2 Eye Damage: Category 2A

#### **HEALTH HAZARDS**

H319 Causes Serious Eye Irritation

### **Prevention Precautionary statements**

P102 KEEP OUT OF REACH OF CHILDREN
 P262 Do not get in eyes, on skin or on clothing
 P264 Wash hands thoroughly after handling

P280 Wear protective gloves



## **Response Precautionary statements**

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do - continue rinsing

## 3. COMPOSITION

#### **Ingredients**

Chemical Entity CAS Number Proportion Risk Phrases

Sodium carbonate (497-19-8) 30-60% H319

Ingredients determined not to be hazardous

#### 4. HANDLING AND STORAGE

**Precautions of safe Handling:** Avoid generation dust. Use smallest possible amounts in designated areas with adequate ventilation. Have emergency equipment (for fires, spills leaks etc) readily available. Label containers. Keep containers closed when no in use. Wear appropriate protective equipment to minimise inhalation, skin and eye contact.

**Conditions for Safe Storage:** Store in a cool, dry, well ventilated area, out of direct sunlight and moisture. Store in labelled, corrosion-resistant containers. Keep containers tightly closed. Store away from incompatible materials. Have appropriate fire extinguishers available in and near storage area.

## 5. EXPOSURE CONTROL/PERSONAL PROTECTION

**Exposure Standards** None assigned by Worksafe Australia for this product

exposure standards

**Personal Protective Equipment** 

**EYES:** Safety glasses with side shields (AS1336/1337)

**HANDS**: Wear rubber or PVC gloves (AS2161)

**CLOTHING:** No specific requirements



